


SUPPLEMENTARY MATERIAL OF THE ARTICLE


Soler Saña M, Puiggené Vallverdú M, Godoy P. Nightshift work and risk of breast and prostate cancer: a systematic review and meta-analysis, 2012-2023. An Sist Sanit Navar 2025; 48(3): e1149.

Supplementary Figure 1. Forest plot of case-control studies of the risk of exposure to short-term night work on breast cancer




Heterogeneity: Tau² (DL $^{\text{b}}$) = 0.07; Chi² = 21.34, df = 7 (P = 0.003); I² = 67%


Supplementary Figure 2. Forest plot of cohort studies of the risk of exposure to shortterm night work on breast cancer




Supplementary Figure 3. Forest plot of case-control studies of the risk of exposure to long-term night work on breast cancer



Supplementary Figure 4. Forest plot of cohort studies of the risk of exposure to longterm night work on breast cancer



Supplementary Figure 5. Forest plot of case-control studies of the risk of exposure to short-term night work on prostate cancer



Heterogeneity: Tau^2 (DL^b) = 0.01; Chi² = 3.81, df = 3 (P = 0.28); I^2 = 21%

Supplementary Figure 6. Forest plot of cohort studies of the risk of exposure to short-term night work on prostate cancer

